


Industrial

Product description

Imitating concrete realistically involves recreating an imperfect texture riddled with tiny cracks. Panespol Beton Industrial decorative panels successfully reproduce the genuine features of this material to compose a decorative covering that can be easily assembled to design contemporary environments in a range of neutral colours. In fact, this is an ideal panel for any interior designer wanting to create wide, open spaces.



Technical characteristics

Weight:
15 Kg

Thickness:
16mm - 18mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick




No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options




TX-048
Beton Industrial



TX-048 7047
Beton Industrial

Product description

The Beton Medio decorative panel is a good alternative for giving spaces a loft style without the need to remove partitions. This covering enables you to achieve open environments, with depth and a simple composition, which is an essential ingredient in the most ambitious projects of any decorator.



Technical characteristics

Weight:
9,6 Kg

Thickness:
11mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



TX-038
Beton Medio




TX-038 7044
Beton Medio

Quebrado

Product description

Symmetry always plays a fundamental role in avant-garde decoration; the straight line is part of this movement. However, the Beton Quebrado decorative panel shows that this style can follow unexplored paths, creating imperfections in the concrete that give distinction to any space. This is the ideal panel if you want to give more prominence to specific elements in a setting.



Technical characteristics

Weight:
15,6 Kg

Thickness:
21mm - 31mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options




TX-047

Beton Quebrado

Product description

Achieving the texture of concrete made with planks is almost impossible without resorting to builders. However, Panespol has the solution thanks to this covering. The Beton Tablas decorative panel gives walls a different texture, providing a rustic touch to the setting but without leaving aside the modernity of cement itself. In addition, its installation does not require builders.



Technical characteristics

Weight:
7,2 Kg

Thickness:
10mm - 17mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



TX-022
Beton Tablas



TX-022 2502
Beton Tablas



TX-033
Beton Tablas
Madera




TX-035
Beton Tablas
Envejecido

Bloque Hormigón

Product description

This decorative panel faithfully reproduces the blemishes typical of the classic grey concrete block; a good formula for creating relaxed settings without leaving behind the modernity provided by this material. The Bloque Hormigón decorative panel conveys realism, strength and personality with a clean finish.



Technical characteristics

Weight:
18 Kg

Thickness:
20mm - 22mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



TX-125 7030
Bloque Hormigón




TX-125 9016
Bloque Hormigón

Encofrado

Product description

The Beton Encofrado decorative panel reproduces the texture of cement. Its use enables creating settings that feature versatility, contrast and personality. It is a great choice for giving a space an attractive industrial and innovative atmosphere.



Technical characteristics

Weight:
8 Kg

Thickness:
10mm - 26mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options




TX-039

Beton Encofrado

Rough Beton

Product description

Trowelled concrete has a rough finish and is appropriate for areas where good grip is an important factor to take into account. However, innovation and exclusivity can also be achieved with this texture by applying it on a wall, as with Panespol Rough Beton decorative panels.



Technical characteristics

Weight:
6,8 Kg

Thickness:
10mm - 12mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



TX-019
Rough Beton



TX-019 2502
Rough Beton




TX-037
Rough Beton
Envejecido

Smooth Beton

Product description

Faithfully recreating the imperfect cement texture is not a simple task unless you use the Panespol Smooth Beton decorative panel. It provides the possibility of creating contemporary environments with a smooth surface and with a range of austere grey colours with simple assembly. An ideal panel for decorators who seek harmony without contrasts.



Technical characteristics

Weight:

Normal Size: 6,8 Kg
Big Panel: 9'9 Kg

Thickness:

10mm - 12mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.



Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate carried out by Tecnalia



Fireproof certificate B-s1-d0 carried out by Aitex



Fireproof certificate according to the Russian normative carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



TX-018
Smooth Beton




TX-018 2502
Smooth Beton



TX-036
Smooth Beton
Envejecido

Product description

The Stucco decorative panel is a good alternative for realistically mimicking cement in both colour and texture. It is also waterproof and insulating, which makes it possible to use both indoors and outdoors. With the use of this covering, you can achieve an industrial decoration and an effect that belongs to the most cosmopolitan settings. In short, a fresh, innovative setting full of character.



Technical characteristics

Weight:
5,2 Kg

Thickness:
10mm - 13mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark



ISO 14001

Decorations and finishing options



TX-020
Stucco