Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

6'8 Kg

Block Brick

Product description

Technical characteristics


It's common to see bare walls, in which the bricks take on huge visual importance and successfully create cosmopolitan environments based on a simple concept. The Panespol Block Brick Panel embodies the versatility of exposed brick, showing that functionality is much more than a virtue.

if necessary, clean with water or a non-irritating

Thickness: 20mm - 24mm

Impact resistance





Product features



6





Lightweight Non-flammable

Strong







Simple and quick

works are required

No building

Recyclable

Sustainable

Certificates







Thermal insulation **Fireproof certificate** certificate carried out by Tecnalia

B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



Reduced Carbon Footprint **CE Mark**

(E



ISO 14001

Decorations and finishing options



PX-194 Block Brick



Block Brick



PX-195 Block Brick Titanio

Panespol Systems

Caravista

Product description

The decoration of walls with Caravista brick is one of the trends that is currently booming. The Panespol Caravista decorative brick panel adapts to all customers' needs. It is a safe bet for creating open settings, featuring a fresh and bare brick aesthetic, without engaging in major building renovation work.

Technical characteristics

Weight: Normal size: 7'6 Kg Big Panel: 20 Kg

Thickness: 16mm - 30mm

Maintenance:

if necessary, clean with water or a non-irritating or non-corrosive cleaner.







Decorations and finishing options



PX-015 Caravista



PX-027 Caravista Blanco



PX-015 9016 Caravista




PX-072 Caravista Gris Rojizo



PX-015 BK Caravista



PX-117 Caravista Gris Negro



234 cm-135 cm 224 cm

Product features







Lightweight Non-flammable

Strong





No building works

Recyclable

Sustainable

Zertifikate



Thermal insulation

certificate

carried out by Tecnalia

Reduced



aitex

Fireproof certificate

B-s1-d0

carried out by Aitex



Fireproof certificate according to the **Russian normative** carried out by Zentrum

CE

Carbon Footprint





ISO 14001

Panespol Systems

C/ Buixcarró, 5 03820 Alcoy - España

info@panespol.com Tel. +34 965 54 96 72

panespol.com



Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

7 Kg

Country Brick

Product description

Technical characteristics


Panespol Country Brick panels are the best option if you want to give a rustic touch to your creativity when decorating spaces. The cracked brick finish creates a warm and homely environment.

if necessary, clean with water or a non-irritating

Thickness: 15mm - 25mm

Impact resistance





Product features







Lightweight Non-flammable

Strong

Non-toxic





Simple and quick

No building works are required

Recyclable

Sustainable

Certificates



certificate

Reduced

Carbon Footprint

aitex



Thermal insulation **Fireproof certificate** B-s1-d0 carried out by Aitex carried out by Tecnalia

CE

CE Mark

Fireproof certificate according to the Russian normative carried out by Zentrum



ISO 14001

Decorations and finishing options



PX-151 BL Country Brick BL



PX-120 KFC Country Brick



PX-145 Country Brick Marrón Envejecido



PX-130 Country Brick Envejecido



PX-159 Country Brick Teja Sombra Calcinada

Panespol Systems

C/ Buixcarró, 5 03820 Alcoy - España


info@panespol.com Tel. +34 965 54 96 72 panespol.com

English Brick

Product description

Bricks are historically one of the fundamental components in construction. That is why using Panespol English Brick panels provides the aesthetic solution that any design professional needs to convey a uniformity and geometry typical of genuine settings.

PANESPOL



Product features







Lightweight Non-flammable

Strong





Simple and quick

No building works are required

Recyclable

Sustainable

Certificates



Reduced

Carbon Footprint





Fireproof certificate B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



CE

CE Mark

ISO 14001

Technical characteristics

Weight: 7'5 Kg

Thickness: 13mm - 16mm

Maintenance:

if necessary, clean with water or a non-irritating or non-corrosive cleaner.








Decorations and finishing options



PX-147 English Brick



PX-147 9016 **English Brick**



PX-148 English Brick Marrón

Panespol Systems

Thermal insulation certificate carried out by Tecnalia



Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

7'5 Kg

Espiga

PANESPOL

Product description


Technical characteristics

The Espiga Brick decorative panel is a good option if you are looking for a rustic setting without putting aside the innovation that is inherent in a transgressive design. Its unique pattern captivates the gaze and gives the setting a natural feel. It can also be used to clad both interior and exterior walls and it is very easy to lay.

if necessary, clean with water or a non-irritating

Thickness: 13mm - 16mm

Impact resistance



Product features







Lightweight Non-flammable

Non-toxic



Simple and quick

No building works are required

Recyclable

Strong



Certificates



Thermal insulation

certificate

carried out by Tecnalia





Fireproof certificate B-s1-d0 carried out by Aitex





Reduced Carbon Footprint

CE Mark



ISO 14001

Decorations and finishing options



PX-177 Espiga





PX-179 Espiga Gris



Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

7 Kg

Grunge Brick

Product description

Technical characteristics


A safe option with a quirky touch. The scratches and imperfections on the Panespol Grunge Panel are inspired by a somewhat chaotic, scruffy yet realistic view of the world. This decorative covering is designed to play a leading role in the kind of project that manages to break any stereotype by its very nature.

if necessary, clean with water or a non-irritating

Thickness: 22mm - 26mm

Impact resistance

PANESPOL 114 cm



Product features



Б

92





Lightweight Non-flammable

Strong

Non-toxic





Simple and quick

No building works are required

Recyclable

Sustainable

Certificates



Reduced

Carbon Footprint

aitex

B-s1-d0



Fireproof certificate according to the Russian normative carried out by Zentrum



CE Mark



ISO 14001

Decorations and finishing options



PX-196 Grunge Brick



PX-196 9003 Caravista



PX-197 Grunge Brick Cuero

C/ Buixcarró, 5 03820 Alcoy - España



CE



Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

7'5 Kg

Long Brick

Product description


Technical characteristics

The exposed brick offers many virtues and, among them, versatility is without a doubt the most important characteristic of this material. Long Brick is the interior decorator's secret for creating clean and open spaces. Its elongated form gives the setting a greater feeling of space, providing the ideal backdrop for large areas.

if necessary, clean with water or a non-irritating

Thickness: 13mm - 16mm

Impact resistance



Product features







Lightweight Non-flammable

Strong

PANESPOL



Non-toxic





Simple and quick

No building works are required

Recyclable Sustainable

Certificates



Reduced

Carbon Footprint

aitex



Thermal insulation certificate carried out by Tecnalia

Fireproof certificate B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



CE Mark



ISO 14001

Decorations and finishing options



PX-180 Long Brick Red Hitox



Long Brick Cuero



PX-182 Long Brick Envejecido

Panespol Systems



Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

5'4 Kg



Product description

Technical characteristics


The decoration of walls with Caravista brick is one of the trends that is currently booming. The Panespol Caravista decorative brick panel adapts to all customers' needs. It is a safe bet for creating open settings, featuring a fresh and bare brick aesthetic, without engaging in major building renovation work.

if necessary, clean with water or a non-irritating

Thickness: 17mm - 23mm

Impact resistance

PANESPOL 113 cm



Product features



СЗ

е С





Lightweight Non-flammable

Strong







Simple and quick

No building works are required

Recyclable

Sustainable

Certificates



aitex



Thermal insulation certificate carried out by Tecnalia

B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



CE Mark

ISO 14001

Reduced Carbon Footprint

Decorations and finishing options



PX-023 Ladrillo Nuevo



PX-023 9016 Ladrillo Nuevo



PX-025 Ladrillo Nuevo Blanco



PX-074 Ladrillo Nuevo Gris Rojizo

Panespol Systems

C/ Buixcarró, 5 03820 Alcoy - España



CE



Refractario

Product description

Giving interior decoration a depth, texture and comfortable feel is a simple task with Panespol Aldaia panels. A perfect aesthetic solution to give projects the charm they need and the versatility provided by a panel that enriches the beauty of the surrounding furniture.

Technical characteristics

Weight: Normal size: 5'5 Kg Big Panel: 18'9 Kg

Thickness: 17mm - 26mm

Impact resistance

Maintenance:

if necessary, clean with water or a non-irritating or non-corrosive cleaner.





Decorations and finishing options



PX-002 Refractario



PX-002 9016 Refractario



PX-070 Refractario Gris





Reduced **Carbon Footprint**





CE

Fireproof certificate


B-s1-d0

carried out by Aitex



ISO 14001

PANESPOL



New York I												
THE REAL PROPERTY AND												1
18 22 81			1.		St. 19.			11875				
							110		12-19-22			8
CETTON (01276.00										5171
												- 13
S. C. Starting of												
The second second			(1) E									200
12 (22.15)	125710 6000		1.		2 5113			11230	SC .			1.
1923	27 10 20 20 20 20			5.			1000	2122 6	and the second			1
(The second sec			111		1993							111
a dame i sa su								1999			A REAL	103
in team i			10.15	S OF					en kilk			1. Sugar
maria alla			100				S. C. 2011					
States 1			1.1		1950 M.	20						
				2111-2	and the second			1000	1.405.2		a Elis	
and a state of the		100,021		1000	12.00	100		part of the	SPR:	S. Dilles	2074	3000

241 cm –

230 cm -

Product features

Lightweight Non-flammable



E

Ы





Non-toxic



No building works

Sustainable

and quick

Certificates

tecnalia

Thermal insulation

are required

Recyclable

Strong

aitex



Fireproof certificate according to the Russian normative carried out by Zentrum



info@panespol.com Tel. +34 965 54 96 72 panespol.com

Panespol Systems

Weight:

Maintenance:

Waterproof

SCALPERS

or non-corrosive cleaner.

7'2 Kg

Rustic Brick

Product description

Technical characteristics

One of the virtues of the exposed brick is that it looks good with many other materials, such as wood, glass, cement or concrete and stone. Rustic Brick decorative panels are a simple and fast solution for transforming spaces in record time, both indoors and outdoors, where you want to project great personality.


if necessary, clean with water or a non-irritating

CALPERS

Thickness: 15mm - 25mm

Impact resistance

PANESPOL



Product features







Lightweight Non-flammable



Non-toxic





Simple and quick

No building works are required

Recyclable

Sustainable

Certificates



Reduced

Carbon Footprint





Fireproof certificate B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



CE Mark

ISO 14001

Decorations and finishing options



PX-097 Rustic Brick



PX-097 9016 **Rustic Brick**



PX-099 Rustic Brick Marrón





PX-111 Rustic Brick Cassel



PX-115 Rustic Brick Gris Negro

Panespol Systems

C/ Buixcarró, 5 03820 Alcoy - España

info@panespol.com Tel. +34 965 54 96 72 panespol.com



Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

7'6 Kg

Santander

Product description


Technical characteristics

The white colour so characteristic of the Nordic style is one of the most popular. Wall covering with our Panespol Santander brick panels will bring luminosity and the feeling of spaciousness to customer settings because of the serenity of their light tones. Achieving a clean and charming result, both indoors and outdoors, without sacrificing the particularity and naturalness of the brick.

if necessary, clean with water or a non-irritating

Thickness: 10mm - 25mm

Impact resistance



Product features







Lightweight Non-flammable

Strong

Non-toxic





Simple and quick

No building works are required

Recyclable

Sustainable

Certificates



Reduced

Carbon Footprint

aitex



Thermal insulation certificate carried out by Tecnalia

Fireproof certificate B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



(E

CE Mark

ISO 14001

Decorations and finishing options



PX-032 Ladrillo Santander



Ladrillo Santander

Panespol Systems



Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

5'5 Kg

Tosco

PANESPOL

Product description


Technical characteristics

The hardness of brick is essential for adding personality to projects; its roughness and sensation of strength will inspire your creativity to find the character you need. Panespol Tosco decorative brick panels give a special touch to the most relaxed settings.

if necessary, clean with water or a non-irritating

Thickness: 13mm - 21mm

Impact resistance



101 cm

Product features







Lightweight Non-flammable

Strong Non-toxic





Simple and quick

No building works are required

Recyclable



Certificates



Reduced

Carbon Footprint





B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



CE



ISO 14001

Decorations and finishing options



PX-013 Tosco



PX-013 9016 Tosco



PX-071 Tosco Gris

Panespol Systems





Urban Brick

Product description

If vintage always creates a trend, New York lofts are a prime example. It is common to see brick-decorated walls, a leading material in most interior design projects, which seek the innate charm of showing the naturalness of the walls. With Panespol Urban Brick, settings are created with a special touch of pure industrial and urban style, achieving unique spaces with personality in a simple way and without building work.

Technical characteristics

Weight: 7'2 Kg

Thickness: 18mm - 21mm

Impact resistance

Maintenance:

if necessary, clean with water or a non-irritating or non-corrosive cleaner.





Decorations and finishing options



PX-084 Urban Brick Cassel



PX-084 9016 Urban Brick



PX-084 3002 Urban Brick



PX-085 Urban Brick Rojo



Urban Brick Gris Negro



PANESPOL

122 cm

109 cm

Product features



91'5 cm





Lightweight Non-flammable

Non-toxic



Simple and quick

No building works are required

Recyclable

Strong



Certificates



Reduced

Carbon Footprint







Thermal insulation certificate carried out by Tecnalia

Fireproof certificate B-s1-d0 carried out by Aitex



(E

CE Mark



ISO 14001

PX-116

Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

5'5 Kg



PANESPOL

Product description


Technical characteristics

The Viejo brick panel is the best option for achieving visual impact on projects. Elegant and versatile, in addition to its simple installation, it allows you to show naturalness without limits and offers unique decorative potential.

if necessary, clean with water or a non-irritating

Thickness: 15mm - 25mm

Impact resistance



108 cm

Product features



93 cm





Lightweight Non-flammable

Strong



Non-toxic





Simple and quick

No building works are required

Recyclable



Certificates



Thermal insulation

certificate



Fireproof certificate

B-s1-d0



Fireproof certificate according to the Russian normative carried out by Zentrum



CE

CE Mark



Decorations and finishing options



PX-022 Ladrillo Viejo



PX-022 9016 Ladrillo Viejo



PX-029 Ladrillo Viejo Teja



PX-031 Ladrillo Viejo Blanco



PX-073 Ladrillo Viejo Gris Rojizo



PX-105 Ladrillo Viejo Envejecido

Panespol Systems

C/ Buixcarró, 5 03820 Alcoy - España

info@panespol.com Tel. +34 965 54 96 72 panespol.com



Reduced Carbon Footprint

BRICKS Wall Brick

Product description

Technical characteristics

Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

7'2 Kg


The Wall Brick decorative panel gives life to the unique streets of New York's most emblematic neighbourhoods. The warm reddish hues together with its finishes and imperfections provide a touch of distinction that can create cosmopolitan and urban settings. A simple and versatile option for recreating a street and relaxed feel.

if necessary, clean with water or a non-irritating

Thickness: 13mm - 26mm

Impact resistance





Product features







Lightweight Non-flammable

Strong







Simple and quick

No building works are required

Recyclable

Sustainable

Certificates



Reduced

Carbon Footprint





Thermal insulation certificate carried out by Tecnalia

Fireproof certificate B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



CE

CE Mark



ISO 14001

Decorations and finishing options



PX-183 Wall Brick Red Cassel



Waall Brick Ocre



PX-185 Wall Brick Titanio



Weight:

Maintenance:

Waterproof

or non-corrosive cleaner.

5'5 Kg



PANESPOL

Product description


Technical characteristics

Giving interior decoration a depth, texture and comfortable feel is a simple task with Panespol Aldaia panels. A perfect aesthetic solution to give projects the charm they need and the versatility provided by a panel that enriches the beauty of the surrounding furniture.

if necessary, clean with water or a non-irritating

Thickness: 15mm - 25mm

Impact resistance



Product features







Lightweight Non-flammable

Strong Non-toxic



No building Recyclable

Sustainable

Simple and quick

works are required

Certificates







Thermal insulation certificate carried out by Tecnalia

Fireproof certificate B-s1-d0 carried out by Aitex

Fireproof certificate according to the Russian normative carried out by Zentrum



Reduced Carbon Footprint **CE Mark**

CE



ISO 14001

Decorations and finishing options



PX-001 Aldaia

PX-001 9016 Aldaia



PX-069 Aldaia Gris Rojizo

Panespol Systems