


Cube

Product description

Three-dimensionality is perhaps the mantra for the boldest interior designer. Coverings with volume are a great alternative when it comes to creating genuine environments that stand out for the uniqueness of their fabric rather than for their endless colour options. But when these two factors come together you get aesthetic solutions like the Panespol Cube Decorative Panel, which in addition to being satisfying to touch, can be made in any RAL colour range.



Technical characteristics

Weight:
7,3 Kg

Thickness:
20mm - 31mm


Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



TX-055 9010
Cube




TX-055 7012
Cube



TX-055 5005
Cube

Product description

Since the dawn of time, rope has been one of the most often used tools in human activity. It's a material found in everyday traditions and ancestral tasks as well as in top quality interior decoration. The Panespol Cuerdas panel has been created with the values of strength and resistance embodied by this element. This rope design has been made using the woven fibres method.



Technical characteristics

Weight:
20,9 Kg

Thickness:
17mm - 31mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark



ISO 14001


Decorations and finishing options



TX-063 9003
Cuerdas

Product description

The Panespol Etna decorative panel is the best alternative to perfectly emulate volcanic stones. Thanks to these panels, walls acquire a novel and unique appearance, giving the setting a warm and modern decoration that is difficult to match. They are manufactured in the entire RAL colour range thus matching the identity of the space to be decorated. In addition, they are very simply and cleanly assembled.



Technical characteristics

Weight:
3 Kg

Thickness:
5mm - 12mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark



ISO 14001


Decorations and finishing options



TX-010
Etna



TX-010 9016
Etna




TX-010 ORO
Etna



TX-010 7039
Etna

Product description

La creación de un espacio singular depende de la capacidad de un interiorista para pensar que cualquier cosa es posible. El panel decorativo Panespol Fuji permite adentrar a los ambientes en la esencia tradicional de Japón recreando con una perfección admirable la textura y composición de las piedras volcánicas del monte Fujiyama para crear ambientes innovadores a partir de un montaje fácil y limpio.



Technical characteristics

Weight:
4 Kg

Thickness:
10mm - 35mm


Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark




ISO 14001

Decorations and finishing options




T-009
Fuji



T-009 9016
Fuji

Product description

Geometry and minimalism. Our new GIZA decorative panel successfully produces optical effects that can give your creations that extra impact, not only for decorating, but also for making their depth and relief grow or expand to -almost-infinity. The composition of the texture drawn by diminishing squares is the key to achieving that greater sense of space and going beyond the visual dimension. A paradise of harmony and well-being.



Technical characteristics

Weight:
3,8 Kg

Thickness:
15mm - 19mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick




No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark



ISO 14001

Decorations and finishing options



TX-064
Giza




TX-064 9003
Giza

Iron Rods

Product description

Traditionally, iron has been used mainly in the decoration of rustic-style spaces, or in those where the intention was to create a more industrial feel. However, this way of using wrought iron has evolved considerably. Iron is a material that can provide a touch of elegance, personality and beauty with its matte black tone and of course its robust composition. Panespol Iron Rods decorative panels bring together all the benefits that iron offers, but with an advantage that will definitely make them more practical: they're lightweight and simple to assemble.



Technical characteristics

Weight:
6 Kg

Thickness:
13mm - 15mm


Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options




TX-049
Iron Rods

Kashi

Product description

Achieving symmetry, shine and distinction using small squares with a texture that evokes luxury is a simple task thanks to the Panespol Kashi decorative panel. In addition, this panel is offered in any RAL colour that allows multiple combinations.



Technical characteristics

Weight:
3,5 Kg

Thickness:
10mm - 12mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark



ISO 14001


Decorations and finishing options



TX-025 9005
Kashi



TX-025 9016
Kashi



TX-025 PLATA
Kashi




TX-025 ORO
Kashi



TX-025 BRONCE
Kashi

Product description

The Kioto decorative panel is the secret of any window dresser who wants to capture everyone's interest by giving the setting a contemporary and avant-garde style. In addition, its wide range of colours suggests trends, making it possible to create spaces that stand out through making use of metallic tones.



Technical characteristics

Weight:
5,5 Kg

Thickness:
10mm - 47mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001


Decorations and finishing options



T-001 9016
Kioto



T-001 9005
Kioto



T-001 ORO
Kioto



T-001 PLATA
Kioto

Proyectado

Product description

The Panespol Proyectado panel is a good alternative for any decorator who seeks to stand out by using a perfect "noisy" graphic that contrasts with more regular and linear shapes. Like the other Panespol models, this panel can be painted in any RAL colour, which gives it great versatility.



Technical characteristics

Weight:
31 Kg

Thickness:
15mm - 25mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



PX-134 7030
Proyectado



PX-134 9016
Proyectado

Product description

Panespol Sand decorative covering is the ideal aesthetic solution for innovating in all those idyllic environments that call for a different touch. This versatile decorative covering is easy to install and suitable for both walls and floors.



Technical characteristics

Weight:
7,5 Kg

Thickness:
12mm - 16mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



T-051
Sand




T-051 9016
Sand

Sinkiang

Product description

The Panespol Sinkiang decorative panel creates bold, modern and different environments. This wall covering is based on a rhythmic geometry that leaves no one indifferent. In addition, the colour range in which the material is manufactured spans from white to black covering the entire RAL colour spectrum, so when you create, the only limit is your imagination.



Technical characteristics

Weight:
5,6 Kg

Thickness:
17mm - 20mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001


Decorations and finishing options



T-034 9016
Sinkiang



T-034 ORO
Sinkiang



T-034 PLATA
Sinkiang



T-034 ROJO
Sinkiang




T-034 VERDE
Sinkiang

Street Floor

Product description

The correct combination of a carefree design in the purest grunge style, together with the comfort and simplicity of that kind of informal, carefree space, is the idea behind Panespol Street Floor decorative panels. This covering is exclusively designed for decorating floors in cosmopolitan, transgressive and urban settings.



Technical characteristics

Weight:
5 Kg

Thickness:
24mm - 26mm


Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options




T-052

Street Floor

Product description

Panespol Telde decorative panels successfully create urban and industrial environments, realistically imitating metal in both their finish and colour as well as in their rust-effect look. They make the ideal covering for creating modern, daring and cosmopolitan spaces.



Technical characteristics

Weight:
6 Kg

Thickness:
11mm


Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark



ISO 14001

Decorations and finishing options




TX-053
Telde

Termoarcilla

Product description

Covering walls with clay brings a sense of nature and shine to open spaces. In addition, its colour and composition evokes order. The Panespol Termoarcilla decorative panel has a rectilinear weave that imitates the edges of the baked clay blocks and serves as the context for any display window or shop design.



Technical characteristics

Weight:
23 Kg

Thickness:
17mm - 25mm


Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark




ISO 14001

Decorations and finishing options




PX-124 9016
Termoarcilla



PX-124 NVJ
Termoarcilla

Product description

The art of savouring simplicity. If you're searching for the wow factor with a universe of optical illusions in your next interior design or decoration project, PANESPOL'S TOKIO decorative panel is the perfect way to achieve it. TOKIO helps to virtually alter the proportions and dimensions of spaces, playing with depth of field in a more modern and innovative way. This distinctly geometric design fits into any space, large or small, wide or narrow, high or low.



Technical characteristics

Weight:
4,5 Kg

Thickness:
15mm - 25mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



TX-065 9002
Tokio



TX-065 9003
Tokio



TX-065 9005
Tokio

Product description

The perception of the essential and the subtle. With very little you can achieve a wealth of abundance, a singular and unique space. This is the basis that inspires our PANESPOL ZEN decorative panel. A whole decorative, minimalist and pictorial philosophy. The ultimate goal is to refine a design that surprises by the simplicity and essence of things, without excuses or embellishments. The value of the austere and the beautiful.

Technical characteristics

Weight:
3,6 Kg

Thickness:
11mm - 17mm


Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark



ISO 14001

Decorations and finishing options



TX-066 7030
Zen




TX-066 9003
Zen

Capitoné

Product description

Capitoné can be defined as an upholstery technique with "button rivets" that was used both on the seats and to line the insides of some living room furniture. Nowadays it even applies to other fashion elements such as footwear or bags. However, Capitoné decorative panels can upholster walls with this material, simulating the textures of Chester sofas, using their particular buttons. Undoubtedly this is a different covering, a great ally for innovative and transgressive projects.



Technical characteristics

Weight:
4,2 Kg

Thickness:
50mm - 60mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark




ISO 14001

Decorations and finishing options



T-041 3002
Capitoné Rojo



T-041 9005
Capitoné Negro



T-041 9016
Capitoné



T-041 ORO
Capitoné Oro