


Classic Tile

Product description

Several years ago, small-sized tiles came into favour in interior design. And they came to stay because it was recognised that they achieve a luminous effect from a simple composition. Panespol Classic Tile brings the shine that makes a space unique without neglecting the most traditional part of this material, that of being ideal for mixing styles and trends.



Technical characteristics

Weight:
17,3 Kg

Thickness:
20mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick




No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint




CE Mark



ISO 14001

Decorations and finishing options




PX-160 VRD
Classic Tile



PX-160 MR
Classic Tile

Product description

The characteristic shape is immediately recognisable by anyone who has travelled by underground in recent years. The way they are arranged, imitating brick, and their typical bevel has made it an essential component for covering. The Panespol Metro decorative tile panel features a rectangular tile surface that enhances the brightness of any space. In addition, its wide range of colours gives it great versatility.



Technical characteristics

Weight:
6,3 Kg

Thickness:
10mm - 29mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance



Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options



PX-149 NGR B
Metro



PX-149 9003
Metro



PX-149 5002
Metro



PX-149 3002
Metro



PX-149 VERDE
Metro

Rustic Tile

Product description

Talking about a rustic style is not talking about an outdated style. The Panespol Rustic Tile decorative panel makes any corner into a rustic setting without giving up on the elegance and luminosity of tiles. In addition, its simple installation enables the creation of a unique aesthetic without the need for builders.



Technical characteristics

Weight:
7,8 Kg

Thickness:
10mm - 30mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable



Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark



ISO 14001

Decorations and finishing options




PX-150 9010
Rustic Tile

Square Tile

Product description

The Square Tile decorative panel is the representation of a simple material that provides luminosity, cleanliness and reflection. It is a perfect alternative for quickly creating elegant and discreet spaces.



Technical characteristics

Weight:
8,8 Kg

Thickness:
18mm

Maintenance:

If necessary, clean with water or a non-irritating or non-corrosive cleaner.

Waterproof



Impact resistance




Product features



Lightweight



Non-flammable



Strong



Non-toxic



Simple and quick



No building works are required



Recyclable



Sustainable

Certificates



Thermal insulation certificate
carried out by Tecnalia



Fireproof certificate B-s1-d0
carried out by Aitex



Fireproof certificate according to the Russian normative
carried out by Zentrum



Reduced Carbon Footprint



CE Mark




ISO 14001

Decorations and finishing options



PX-176 9003
Square Tile



PX-176 9005
Square Tile